

Yealink DECT IP Phone Solution

Bring Scalability to Cordless Communications

The Yealink DECT IP phone solution enhances communication productivity and flexibility for on-the-move employees in various business segments. The new Yealink DECT desk phone W41P is a package of T41S, W60B and DECT dongle DD10K; it offers delightful user interface and exceptional HD voice quality besides the ease of deployment that reduces IT department workload. It's time to equip your office with Yealink's scalable, feature-rich and HD DECT IP phone solution and enjoy absolute flexibility in your business communication.



W41P DECT Desk Phone



W60P Wireless DECT IP Phone



W52P Wireless DECT IP Phone

Yealink DECT Solution Ecosystem

Yealink W60B DECT base can support up to 8 handsets including W56H, W52H and T41S with DD10K DECT dongle.

Yealink RT30 DECT repeater increases the coverage of W60B, a practical accessory to ensure the DECT handset connect to W60B.



W41P DECT Desk Phone



W60P Wireless DECT IP Phone



W52P Wireless DECT IP Phone

W52P Wireless DECT IP Phone

Applications: Warehouse, SMBs, SOHO, Retail outlets.

The W52P serves businesses with great features and stable performance. With straightforward handling and a 1.8-inch display, the phone simplifies frequent on-the-move calling needs. It's great for small business owners, retail outlets and cafes.

Key Features include:

- HD Voice makes every call clear and efficient;
- 1.8" 128x160-pixel LCD display makes browsing easy;
- Up to 5 handsets and 4 simultaneous calls deliver flexibility and efficiency to the office;
- PoE support and ECO mode save energy and simplify your network design.



Optima
HD Voice



4 simultaneous
calls



1.8" 128x160-pixel
LCD



PoE



W60P Wireless DECT IP Phone

Applications: Warehouse, SMEs, Retail outlets, Restaurants.

Designed with robust hardware, the W60P is ideal for businesses that require greater capability to handle a heavy call load.

The W60P will win you over with its excellent scalability. By supporting up to 8 handsets, 8 SIP accounts and 8 concurrent voice calls, the phone adjusts to business needs with ease. Superb HD Voice and Opus codec support allow you to enjoy communication clarity anywhere in the workspace.

Key features include:

- A 2.4" 240x320 color display that provides the space for easy navigation and smooth operation;
- Strong battery support for up to 30 hours of talk time or 16 days of standby time as well as quick-charge;
- A thoughtful design for easy user adoption and natural integration into your office environment.



Handset support:
8 units



SIP accounts:
8 accounts



Concurrent voice calls:
8 calls



Quick-charge technology

W41P DECT Desk Phone

Applications: SME offices, Retail outlets, Restaurants, SOHO, Warehouses.

The Yealink DECT desk phone W41P is a great complement to businesses who have or need Yealink DECT solution.

As a desk phone, it provides simplicity for users with familiar digital keypad as well as rich navigation and line keys. Moreover information is available at a glance with vivid LED indicators and a 2.7" 192x64-pixel screen display on T41S.

The integration of Yealink DECT dongle DD10K enables T41S to work concurrently with the Yealink DECT system as a handset (Yealink W60B supports up to 8 DECT handsets in total)*. With deployment workload impressively reduced, it's true plug-and-play.

Key features include:

- Exceptional HD sound quality for every single conversation;
- 6 line keys with LED indicator for feature customization (e.g. one-touch speed dial and redial);
- Up to 100 phone book memory for easy contact management;

Note: T41S requires software upgrade to be compatible with DD10K.




RT30 DECT Repeater

Beautifully designed, the Yealink DECT repeater RT30 upgrades the DECT radio coverage and reception. It secures the connection with the DECT base and finally empowers worry-free communication on the go.

Key features include:

- Compatible with DECT CAT-iq 2.0
- Support HD Voice calls
- Compatible with Yealink W60B DECT base station
- Up to 6 repeaters per base station
- Support auto association
- Support star connection (up to 6 repeaters)
- Support cascade (up to 2 repeaters in each cascade)
- LED status display
- Wall mountable



DECT IP Phone Key Specification

Module		W60P	W41P	W52P
Picture				
Display	LCD Display	2.4" 240 x 320 TFT color display	2.7" 192 x 64 graphical LCD	1.8" 128 x 160 TFT color display
	LCD Backlight	√	√	√
Features	Standby Time	400h	x	100h
	Talk Time	30h	x	10h
	Battery	Lithium	x	NiMH
	Headset	3.5 mm	RJ9/EHS	2.5 mm
	Indoor Range/Outdoor Range	50m/300m	50m/300m	50m/300m
	Handset Number Per Base	Up to 8 handsets	Up to 8 handsets	Up to 5 handsets
	SIP Account	8	8	5
	Simultaneous Voice Call	8	8	4
	Repeater	√	√	√
	DECT Standard	CAT-iq 2.0	CAT-iq 2.0	CAT-iq 2.0
	3-way Conferencing	√	√	√
	Speed Dial	√	√	√
Audio	Wideband Codec	Opus, AMR-WB (optional), G.722	Opus, AMR-WB (optional), G.722	G.722
	Narrowband Codec	PCMU, PCMA, G.726, G.729, iLBC	PCMU, PCMA, G.726, G.729, iLBC	PCMU, PCMA, G.723, G.726, G.729, iLBC
	HD Voice	√	√	√
Interface	Ethernet Interface	10/100M	10/100M	10/100M
	PoE	√	√	√
	Bluetooth	x	x	x
	Wall Mountable Base	√	√	√
Feature keys	Softkey	2	4	2
	Navigation Key	5	6	5
	Line Key	x	6	x
	Function Key	6	5	6
	Volume Control Key	0	2	0

Yealink



YEALINK NETWORK TECHNOLOGY CO., LTD

E-Mail: sales@yealink.com | Website: www.yealink.com

2018-03-English-V1.0